

SHOHEL & BROTHERS PTE LTD.



Control, Isolation
Safety, Steam Engineering
Industry &
Building Technology







SHOHEL AND BROTHERS PTE LTD.

COMPANY PROFILE:

We the **Shohel and Brothers** established in 1965 as a trading concern in the commercial capital and port city Chittagong and consequently in Dhaka by our grandfather with a vision to satisfy the customers in the industrial sector in Bangladesh. We have inherited this business from our Grand Father to our father. We are the third generation running this business with fame and goodwill.

Our company has a concrete history of maintaining long-term relationships with our clients. We strongly emphasize communication with the client and within the project team, involve key senior staff at all the project stages, and emphasize the importance of producing a project that meets the need and purpose as defined by our client. We are continually reviewing our procedures and performance in order to provide maximum client satisfaction and staff effectiveness.

CORE BUSINESS:

- 1. Authorized Distributor of Pumps, Valves, Industrial Hardware, Tools and Sanitary Goods.
 - a) Pumps (Grundfos, Denmark)
 - b) Valves (ARI-Armaturen, Germany)
 - c) Valves and Actuator (KITZ Corporation, Japan)
 - d) Boilers (BBS, Germany)
 - e) Inverters (Danfoss, Denmark)
 - f) Pressure and Temperature Measurement (WIKA, Germany)
 - g) Fluid Control System (Burkert, Germany)
 - h) Flow and Level Instrument (Yokogawa, Japan)
 - i) Valsteam ADCA, Pharma, Food, Chemical & Cosmetic (Portugal)
 - j) Keyvalve High Temperature and Wear Resistance (Hong kong)
 - k) Gas Pressure Regulation (Medenus, Germany)
 - l) Rotating Technology (Deublin, USA)
- 2. Project implementation by strong and dedicated engineering team involving in *design*, *fabrication*, *installation*, *commissioning*, *troubleshooting* and *maintenance*.

COMPANY VISION:

We are inspired to build a company where "People" come together to share their dreams and create wealth by putting together their undivided efforts and talents.

Together moving towards building-up a world class company in the field of Electro-Mechanical engineering through continuous improvement in *Technology, Quality, Services and Delivery*.

Authorised Distributors of:

























PRODUCTS

Process Utilities:

Boilers (BBS) Pumps (Grundfos) Valves (ARI, KITZ) Measuring Equipments (WIKA) **Automation (Burkert) Rotating Technology (Deublin)** Pipes (Seamless, ERW, SS & CS) Fittings (SS,CS)

Steam Utilities:

M.S Pipes M.S. Fittings **Steam Valves Strainers Pressure reducing Valves Steam Traps Non Return Valves Other Equipments**

Authorised Distributors of:

GRUNDFOS





















Water Utilities:

SS Pipes G.I. Pipes G.I. Fittings Gate Valves Butterfly Valves Ball Valves Water pumps Other equipments

Pneumatic Utilities:

Filter regulator Lubricator Unit (FRI unit) Solenoid Valves Flow control Valves Cylinder Pressure gauge **Tubes & Fittings Actuator** Sensor **Process Valves Industrial Filter** Instrumentation instruments



BBS GmbH

The Experts in Industrial **Boiler** Plants and Heat Engineering

In order to meet the different needs of our customers, we offer a very wide range of systems and components for generating of steam and process heat. The output range of our steam, hot water and thermal oil boilers ranges from approx. 300 kg/hr of a steam generator to 35,000 kg/hr by steam boiler.

We also offer the entire spectrum of high temperature systems based on the thermal oil heaters. With the help of this technology, using organic and synthetic heat carriers, the process heat can be generated with temperatures up to 400 °C.

OUR PRODUCT RANGE INCLUDES THE FOLLOWING PRODUCT GROUPS:

- » Steam boilers
- » Hot water boilers
- » Thermal oil Heaters
- » Waste Heat Boilers
- » Electrically heated boiler systems
- » Pure steam generators
- » Container boiler systems
- » Biomass firing
- » Boiler Economizer
- » Plants & Apparats



100%
MADE IN GERMANY

Authorised Distributor of:

SHOHEL AND BROTHERS PTE LTD.





STEAM BOILER

- » Steam output 0,1-35,0 t/h
- » Low Pressure/High Pressure Version
- » Fuel: Oil/Gas/Solid fuels/Electric

HDK/HDK-M High Pressure Steam Boiler

- Three-pass design, for the production of saturated and overheated steam by using superheaters
- HDK-M steam generator in marine version
- permissible operating overpressure up to 25 bar

AHK-HD high-pressure steam heat recovery boiler

- Flue gas heated boiler for the production of saturated and overheated steam by using superheaters
- permissible operating overpressure up to 50 bar

HDK-WR High Pressure Steam Boiler water tube

- Three-pass design water tube boiler for the production of saturated and overheated steam by using superheaters
- permissible operating overpressure up to 50 bar

HPB High-Pressure Boiler

- Three-pass design natural circulation steam generator
- permissible operating overpressure up to 100 bar





THERMAL OIL BOILER

- » Heat output: 0,1-16 MW
- » Max. operating temperature 400 °C
- » Fuel: Oil/Gas/Solid fuels/Electric

HG Hot Oil-Generator

 Hot oil generator, three-pass forced circulation boiler with coil for heating up heat transfer fluid

AHK-HG heat recovery boiler-Marine

• Flue gas heated generator for heating up heat transfer fluid

HG-M Hot Oil-Generator Marine

• Three-pass forced circulation boiler with coil for heating up heat transfer fluid in marine design

EHG Electro-Hot oil-Generator

• Electric powered forced circulation boiler with coil for heating up heat transfer fluid



Authorised Distributor of:

SHOHEL AND BROTHERS PTE LTD.

be think innovate

GRUNDFOS CR RANGE



Vertical Multistage pumps for pressure boosting in a wide range of applications







8: 8: 8:



Close-Coupled centrifugal pumps.

Speed circulator pumps.

Grundfos (NK) End-suction pumps











Air Conditioning

Cooling Tower

Fire Fighting

Irrigation

General Industry

Authorised Distributors of:



Horizontal, Multistage centrifugal pumps

SEG pumps designed for pumping effluent and untreated sewage in small communities

Authorised Distributors of :

SHOHEL AND BROTHERS PTE LTD. www.shohelandbrothers.com

GRUNDFOS

Made in Denmark

GRUNDFOS PEERLESS FIRE PUMPS

QUALITY WITH RELIABILITY & SAFETY INBUILT.



A wide range of approvals









Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.



GRUNDFOS FIRE



When Reliability Matters Trust Grundfos

Motor Driven Fire Pump

Thousands of Grundfos Pump installations (UL, ULC or FM approved) deliver superior fire protection to facilities worldwide. Grundfos Pump has been offering complete service, from engineering assistance to inhouse fabrication to field start-up. Products are designed from a broad selection of pumps, drives, controls, baseplates and accessories. Pump choices include horizontal, in-line and end suction centrifugal fire pumps as well as vertical turbines.



Fir Auto Control Pannel



Authorised Distributors of:


SHOHEL AND BROTHERS PTE LTD. www.shohelandbrothers.com



Your "One-Stop-Steam Engineering Solution Partner"

Isolation Bellow Seal Valve Safety Valve, Control Valve Pressure Reducing Valve Steam Trapping:






Authorised Distributors of :


SHOHEL AND BROTHERS PTE LTD.








Mechanical Pump Systems





Pneumatic DP Actuator



TD Steam Trapping



Premio Plus

Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.



KITZ

XJ Series Aluminum Butterfly Valves



KITZ CORPORATION

Made in Japan


Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.



Stainless Steel Ball Valve Size: ½ - 8















Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.

www.shohelandbrothers.com






General Purpose Solenoid Valve Systems





Process Instrumentation & Controllers





Process/Sanitary Valves



Control heads for the integrated mounting on process valves - On/Off valves





Danfoss Drives

- for your applications

Quality,

applicationoptimized products, which target your needs



VLT® AutomationDrive FC 302



VLT® Micro Drive FC 51

A better tomorrow is driven by drives

Danfoss Drives is a world leader in variable speed control of electric motors. We offer you unparalleled competitive edge through quality, application-optimized products and a comprehensive range of product lifecycle services. You can rely on us to share your goals. Striving for the best possible performance in your applications is our focus. We achieve this by providing the innovative products and application know-how required to optimize efficiency, enhance usability, and reduce complexity.

From supplying individual drive components to planning and delivering complete drive systems; our experts are ready to support you all the way.

You will find it easy to do business with us. Online, and locally in more than 50 countries, our experts are never far away, reacting fast when you need them.

You gain the benefit of decades of experience, since 1968. Our low voltage and medium voltage AC drives are compatible with all major motor brands and technologies.

VACON® drives combine innovation and high durability for the sustainable industries of tomorrow.

For long lifetime, top performance, and full-throttle process throughput, equip your demanding process industries and marine applications with VACON® single or system drives.

- Marine and Offshore
- Oil and Gas
- Metals
- Mining and Minerals
- Pulp and Paper
- Energy
- Elevators and Escalators
- Chemical

VLT® drives play a key role in rapid urbanization through an uninterrupted cold chain, fresh food supply, building comfort, clean water and environmental protection.

Outmaneuvering other precision drives, they excel, with remarkable fit, functionality and diverse connectivity.

- Food and Beverage
- Water and Wastewater
- HVAC
- Refrigeration
- Material Handling
- Textile

Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.

www.shohelandbrothers.com

VLT° | VAGON° Made in Denmark



Products

VLT® Micro Drive FC 51

The smallest AC drives in the VLT® series are particularly suitable for side-by-side mounting with a high integration density. Thee typical features of Danfoss drives are still retained.



Power range

1 x 200-240 V	0.18-2.2 kW
3 x 200-240 V	0.25-3.7 kW
3 x 380-480 V	0.37-22 kW

VLT® Automation Drive FC 360

The VLT® AutomationDrive FC 360 is a reliable, energy effi cient and user friendly solution placed in a price performance sweet spot. Designed to work in harsh and humid environments, the drive provides reliable operation in industries such as textile, plastic & rubber, metal work, material handling, food & beverage, and building materials. The drive enables precise and efficient motor control of a wide range of industrial applications such as extruders, winders, conveyors, drawing benches, ring frame, texturizing, pumps, and fans.



Power range

3 x 380-400	V	0.37	-75 kW
J A JUU TUU	V	/	/ / / / / /

VLT® HVAC Basic Drive FC 101

The VLT® HVAC Basic Drive is supplied with built-in functions that reduce initial costs and increase productivity. It is the most compact unit in its class. Integrated DC coils reduce harmonics to an absolute minimum, and the Automatic Energy Optimizer saves 15-25% energy from the second you turn the it on. Achieve the lowest cost of ownership with a premier drive dedicated to ventilation, heating, and refrigeration applications.



Power range

1 x 200-240 V	0.25-45 kW
3 x 380-480 V	0.37-90 kW
3 x 525-600 V	2.2-90 kW

VLT® AQUA Drive FC 202

The VLT® AQUA Drive FC 202 drives and controls all types of pumps. In addition to the widely used centrifugal pumps (quadratic load torque), the VLT® AQUA Drive FC 202 is ideal for displacement pumps or eccentric screw pumps (constant load torque).



Power range

1 x 200-240 V	1.1-22 kW
1 x 380-480 V	7.5-37 kW
3 x 200-240 V	0.25-45 kW
3 x 380-480 V	0.37-1000 kW
3 x 525-600 V	0.75-90 kW
3 x 525-690 V	1.1-1400 kW

VLT® Automation Drive FC 302

The VLT® AutomationDrive FC 302 is a modular drive designed to comply with all modern automation application requirements with easy configuration and a broad power range.



Power range

3 x 200-240 V	0.25-37 kW
3 x 380-500 V	0.37-1100 kW
3 x 525-600 V	0.75-75 kW
3 x 525-690 V	1.1-1400 kW

Power range - Low harmonic drive

3 x 380-480 V	'132-710 kW

Power range - 12-pulse drive

3 x 380-500 V	250-1000 l	kΜ
3 x 525-690 V	.250-1400	k۷

VLT® HVAC Drive 102

The ideal choice for fan and pump applications in modern buildings. The drive offers maximum flexibility in installation, bus connections and control intelligence.



Power range

3	3 x 200-240	V 1.1-45	kW
3	3 x 380-480	V1.1-1000	kW
3	x 525-600	V1.1-90	kW
3	x 525-690	V1.1-1400	kW

Power range - Low harmonic drive 3 x 380-480 V132-710 kW

Ро	wer	ran	ige ·	- 12-puise	drive	

3 x 380-500 V	250-1000	kW
3 x 525-690 V	.250-1400	kW



Pressure
Temperature
Level measurement
Primary flow elements
Calibration technology









































Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.

www.shohelandbrothers.com

Made
in
Germany

Measuring instruments for Ventilation and air-conditioning



Electronic pressure measurement



Calibration Technology







Level Transmitters



EJXC80A/EJAC80E

Diaphragm Seal System (Direct Mount Seal)

- Flange-mounting, compact differential pressure transmitter.
- Direct mounting to a tank.
- Small flange size model available.



- Connecting two pressure sensors, master (high pressure and slave (low pressure side) in a remote location, with DRS
- and save (www.pressures.ue.) In a territor couldor, with Dros dedicated communication cable to measure differential pressure Suitable for level measurement of a tall tank. DRS cable length (maximum): 45 m
- Signal characterization for various tank types



Head mount type

■ A head mount type conforms to the standard DIN form B head mounting.

Panel mount type

A panel mount type conforms to the standard DIN rail mounting and supports HART communication protocol.

EJXC80A/EJAC80E

Diaphragm Seal System (Remote Mount Seal)

- Ideal for measuring the levels and densities of corrosive and high-temperature fluids.
- Small flange size model available.



Liq

EJAC60E Hygienic Adapter System Fluidless Type Pressure Transmitter

- \blacksquare The hygienic pressure transmitter is designed specifically for the
- needs of the food and pharmaceutical industry.

 The transmitter design eliminates the use of filling fluid and incorporates a hygienically sealed adapter structure to ensure process integrity.
- Hygienically sealed adapters offer 16 different type of process connections

Pressure Transmitters





DPharp EJX Series Differential Pressure and Pressure Transmitters

- ■Ultra-high performance, the flag-ship model of DPharp.

 • High accuracy and fast response.

- Unique features include;
 Multi-sensing (Differential pressure) and Static pressure).

 Output signal characterizer.
- Multi-functional indicator with local parameter setting function (optional).
- •Alarm output for measured pressure and static pressure (optional).
- High reliability.
- SIL2certifiedbyTÜV.

Temperature Transmitters



YTA Series Temperature Transmitters





DPharp EJA-E Series Differential Pressure and Pressure Transmitters

Field mount type

- ■Built to last: Dual-compartment housing realizes high resistance capability to harsh environments.

 Safety first: SIL2 certified right out of
- the box At Yokogawa safety is not an option.
- ■Excellentlong term stability: Industry leading 5 year stability guaranty
- ■A best-selling pressure transmitter series featuring silicon resonant sensor.
- Fast response, corresponding to various applications.
 •Excellent long term stability slashes
- maintenance cost.
- Unique features include;
- Multi-sensing (Differential pressure and Static pressure).
 Output signal characterizer.
- Multi-functional indicator with local parameter setting function (optional).
 • SIL2 capable.
- •1 to 5 V low power output type available.


EJX/EJA Series Differential Pressure Transmitters



- Combined with an orifice, measures liquid, gas, and steam flow rates
 Available for direct mounting without three-valve manifold.
- Outstanding long-term stability slashes maintenance costs.

EJX910A

Multivariable Transmitter



 \blacksquare Simultaneous dual output of $\overset{\checkmark}{4}$ to 20 mA and pulse signals for total flow, flow rate, or alarm

Configuration Tool


FieldMate Versatile Device Management Wizard



- FieldMate is a field work-oriented software program for configuring, daily patrol, troubleshooting, and managing a wide variety of field devices used in plants and laboratories.
- Multi-protocol access support HART, FOUNDATION™ fieldbus H1, PROFIBUS, BRAIN, ISA100.11a,
- Support frequently used functions (Zero adjustment, Input loop check support, and Acquisition of device parameters)







pressure and pressure transmitters
■ Pressure measurement range 200 kPa ~ 70 MPa.
■ Basic accuracy: Pressure 0.01% drg, Current/voltage 0.015% rdg

"As Found", "As Left" data and error rate (%) can be recorded.





Field Instruments

Flowmeters



ROTAMASS Total Insight Coriolis Mass Flow and Density Meter

- $\blacksquare \, A \, \text{versatile}, \\ \text{multi-sensing flow} \\ \text{meter that measures most flowing fluids}$
- Vibration-resistant due to counterbalanced dual measurement system
- Robust sensor design with low pressure loss
 High accuracy measurement, Mass flow: 0.1%, Density: 0.005 g/cm³
 Wide temperature range (-196 °C to 350 °C)
- In-line Concentration Measurement, Batching and Viscosity function



The Total Insight concept provides:

- Six dedicated product lines offering best-suited solutions

- Wizardforeasysetupandconfiguration

 "Event-Management" for pro-active operation

 In-linemeterverificationwithTotalHealthCheckandTubeHealthCheck
- MicroSDcardforeasydatatransfer
- Worldwide approvals and universal power supply

ADMAG Total Insight AXG and AXW Magnetic Flowmeter

- The ADMAG Total Insight AXG and AXW adopt the "Total Insight" concept and totally support the product life cycle. The functions will increase customer benefits with reducing total cost of ownership.
- High-quality and highly reliable product based on years of experience and achievement by our proprietary dual frequency excitation method.

 The AXG is ideal for industrial process lines like oil&gas/chemical/pulp&paper/food& beverage/metal&mining applications, and the AXW is for general industrial process lines and water supply/sewage applications.
- ■The AXG and/or AXW provide four I/O signals, calorie calculation, data logging, NAMUR NE 107, built-in verification, application diagnostics, and data transfer by microSD card.

digitalYEWFLO Vortex Flowmeter

- Spectral signal processing automatically optimizes the output immediately after power-on.
- ■The maximum size is 400 mm. Various body from cost-effective wafer types to high-pressure flange types (ANSI class 1500 lb) is available.
- Available in high-temperature (up to +450 °C) and cryogenic models (down to -196 °C).

 Built-in temperature sensor in the shedder bar offers the mass flow output or the temperature output.

 Corrosion-resistant type compatible with corrosive fluids is available.
- Robust meter design to withstand steam flow challenges such as water hammer, high temperature process, etc.
- Reduced bore type enable low flow measurement. Available for up to 2 sizes down.



ADMAG AXR

2-wire Magnetic Flowmeter

- $\hbox{$^{\bullet}$ 2-wire loop powered performance allows direct connection to DCS I/O card possible, thus}\\$ drastically reducing the initial cost and power consumption.
- $\hbox{$\blacksquare$ Certified with SIL2 Safety Integrity Level (IEC 61508). AXR is capable of SIL2 single use and SIL3}$ redundant use, as standard.





ADMAG AXF

Magnetic Flowmeter

- "DualFrequency Excitation Method" realizes the stable measurement of high concentration slurny fluid and low conductivity fluid.
- User-friendly functions; such as an electrode adhesion level diagnosis function, infra-red switches which can be used for setting parameters without opening the case cover





ROTAMETER Variable Area Flowmeter

- Complete stainless steel design.
- Local indication and analog output.

 Various process connections and wetted materials
- Options such as Exi-version, inductive alarms, pulse output, etc.















Converter



PK200 Current-to-Pneumatic Converter

- \blacksquare Electronic feedback system achieving high reliability and high performance.
- Energy-saving design achieve economy.
- Designed to be replacement-compatible with the former model 5502.
- Easy to operate.....one side access.

Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.

PRESSURE SUSTAINING VALVES PRESSURE REDUCING VALVES CONTROL VALVES



Pharma, Food, Chemical & Cosmetic

SANITARY PRESSURE REDUCING / SUSTAINING VALVE



OPTIONAL CAPTURED VENT





LOW PRESSURE

BLANKETING REGULATOR CLEAN STEAM TRAPS



HIGH PURITY BALL VALVES



HYGIENIC AND ASEPTIC ANGLE CONTROL VALVE



CLEAN STEAM HUMIDITY SEPARATOR



SAMPLE COOLER CLEAN STEAM



VACUUM BREAKER



Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.

www.shohelandbrothers.com

Made in Portugal

PRESSURE REGULATORS



PILOT OPERATED



DIRECT ACTING // SUSTAINING



ADCAMAT POP-S CARBON STEEL CONSTRUCTION PUMP DN25 TO DN80



ADCAMAT POP-SS STAINLESS STEEL CONSTRUCTION PUMP DN25 TO DN80



PACKAGED ADCAMAT PUMP SIMPLE, DUPLEX & TRIPLEX UNITS



SKID MOUNTING SYSTEMS



STEAM WATER MIXERS



FLASH VESSEL



HEAT EXCHANGERS



HUMIDITY SEPARATORS



ADCAMAT APST-S / APST-SS PRESSURE PUMP TRAP



ADCAMAT PPT PRESSURE PUMP TRAP







ABRIDGED TECHNICAL CATALOGUE



Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.

www.shohelandbrothers.com

Made in Italy



di SAADON OSCAILS C		
BALL VALVES	BALL VALVES	ON-OFF VALVES
PNEUMATIC 3-WAY BALL VALVES	PNEUMATIC BALL VALVES 3 PIECES	FFF/P SERIES PNEUMATIC VALVES
BUTTERFLY VALVES	BALL VALVES	CONTROL VALVES
PNEUMATIC CAST IRON BUTTERFLY VALVES SPO/I/13	WAFER AND FLANGED BALL VALVES	NEEDLE VALVES
CONTROL VALVES	CONTROL VALVES	
SBS SERIES PNEUMATIC 2 WAY VALVES	SBS SERIES PNEUMATIC 3 WAY VALVES	
ON-OFF VALVES	ON-OFF VALVES	
PNEUMATIC VALVES GRS SERIES 2-WAY	PNEUMATIC VALVES GRS SERIES 3-WAY	



Excellent corrosion resistance

High temperature and wear resistance

Optimum flow rate

Bubble tight shut-off Easy to install

















Made In China

Authorised Distributors of:

SHOHEL AND BROTHERS PTE LTD.

High temperature and wear resistance



Optimum flow rate

Bubble tight shut-off





Made In China

MEDENUS Gas Pressure Regulation

























SHOHEL AND BROTHERS PTE LTD.

COMPANY POLICY:

Our policy is to provide our customer with quality products and system that consistently complying to the statutory requirement and constantly meet their needs, deliver on time and produce in safe environment.

CONTACT US:

Shohel and Brothers as a total turnkey engineering solution provider is ever ready to assist you. Our team of engineering professionals would like to meet your if you ever have a question.

We will treat every enquiry as the most specifie one. You will be ensure that all the information given is strictly for engineering design and we will maintain the highest confidentiality.

Corporate Office:

Suite # 14/1 (13th Floor), City Heart, 67, Naya palton, Dhaka-1000, Bangladesh. Phone: + 880-2-9331527, + 880-2-8318672

Cell: +88-01730338983

E-mail: info@shohelandbrothers.com

valves@shohelandbrothers.com www.shohelandbrothers.com

Dhaka Sales Center:

10, Haji Osman Goni Road, Alu Bazar

Dhaka-1100, Bangladesh Phone: +88-02-9570253,

Cell: E-mail:

Web:

sales@shohelandbrothers.com

Sales & Service Centre (Pumps):

25, Shahid Sayed Nuzrul Islam Sarani (North South Road) Dhaka-1100 Bangladesh.

Phone: + 880-2-7110434

Cell: + 88-01713-376699, 01730-783463 E-mail: pumps@shohelandbrothers.com

Authorised Distributors of:

Dhaka Sales Center:

79/A/3, Lutfur Rahman Lane North South Road, Dhaka-1100, Bangladesh Phone + 880-2-7110506, + 880-2-7113708

Cell: +88-01713376700

E-mail:customer@shohelandbrothers.com sales@shohelandbrothers.com

Chittagong Office & Sales Center:

Hotel Al-Faisal, 1050 Nur Ahamed Road

Chittagong-4000, Bangladesh

Phone: +88-031-624897, 625749, 625750

Fax: +88-031-631261

Cell: + 88- 01713-106417, 01713-124408 E-mail: salesctq@shohelandbrothers.com

























Authorised Distributor for

























SHOHEL AND BROTHERS PTE LTD.

Corporate Office: 14/1 (13th Floor), City Heart, 67 Naya Paltan, Dhaka.

Sales Center: 79/A/3 Lutfar Rahman Lane, Narth South Road, Dhaka-1100
E-mail: info@shohelandbrothers.com, sales@shohelandbrothers.com

Mobile: +88 01711720815, +88 01713376700 www.shohelandbrothers.com